

WARN INDUSTRIAL HOIST

WINCH MODEL


DC2000

PART NUMBER

PN 33475

TYPE

12V ELECTRIC



02/18/03

The DC2000 features a compact frame for mounting flexibility and light weight. A powerful series wound motor combined with a deep 261:1 gear ration results in an excellent duty cycle performance.

ENGINEERING DATA:

- **Maximum rated load :** 2000 lbs (907kg)
- **Maximum wire rope recommended:** 1/4" 7000 lbs (3182kg) minimum breaking strength
- **Drum barrel diameter:** 4.25" (108 mm)
- **Drum flange diameter:** 6.25" (159 mm)
- **Distance between flanges:** 4.5" (114 mm)
- **Contactors:** Industrial contactor with 12' (3.7 M) heavy duty remote control
- **Approximate shipping weight:** 40 lbs (18 kg)
- **Gear ratio:** 261:1
- **Motor:** 12 volt DC series wound 2.1 hp (1.57 KW)

STANDARDS COMPLIANCE:

- ANSI B30.5

PERFORMANCE DATA:

LAYER	LINE LOAD		LINE SPEED		1/4" (6m m) WIRE ROPE CAPACITY	
	lb.	kg	ft/m in.	m/m in.	ft.	meters
1	2000	909	15.0	4.7	20	6.1
2	1800	818	17.0	5.2	43	13.1
1 st LAYER	LINE LOAD		LINE SPEED		DUTY CYCLE	
	lb.	kg	ft/m in.	m/m in.	amps	m in/10 m in
	0	0	38	11.6	75	6.0
	1000	455	22	6.7	148	4.2
	1500	682	19	5.8	170	3.3
	2000	909	15	4.6	200	2.5

AVAILABLE ACCESSORIES:

- OverLoad Interrupt
pn 61929

WARN INDUSTRIES, INC. INDUSTRIAL PRODUCTS

12900 S.E. Capps Road, Clackamas, OR USA 97015-8903
 Customer Service (in North America): 1.800.543.9276
 Customer Service (international): 1.503.722.3008
 Fax:1.503.722.3000 www.warn.com



